

F2L Algorithms (First 2 Layers)

Developed by Feliks Zemdegis
and Andy Klise

Images sourced from Conrad Rider's VisualCube - <http://cube.crider.co.uk/visualcube.php>

Algorithm Presentation Format



Suggested algorithm here
Alternative algorithms here

Set up F2L pair // Solve F2L pair

It is not recommended to learn any of these algorithms before learning intuitive F2L.

The black part of each algorithm sets up the pieces to a basic insertion case, which is then written in blue.

Basic Inserts



U (R U' R')

y' U' (R' U R)
y U' (L' U L)



y' (R' U' R)
y (L' U' L)

(R U R')



F2L Case 1



U' (R U' R' U) y' (R' U' R)
y' U (R' U' R U') (R' U' R)

U' (R U R' U) (R U R')



U' (R U2' R' U) y' (R' U' R)
U' (R U2' R') d (R' U' R)

R' U2' R2 U R2' U R
y' U (R' U2 R) U' y (R U R')
(R U' R' U) (R U' R') U2 (R U' R')



y' U (R' U R U') (R' U' R)

U' (R U' R' U) (R U R')



F2L Case 2



(U' R U R') U2 (R U' R')

y' (U R' U' R) U2' (R' U R)
d (R' U' R) U2' (R' U R)
Note - (y' U) and (d) are interchangeable



U' (R U2' R') U2 (R U' R')

y' U (R' U2 R) U2' (R' U R)
d (R' U2 R) U2' (R' U R)



F2L Case 3



U (R U2 R') U (R U' R')

y' U' (R' U2 R) U' (R' U R)



U2 (R U R' U) (R U' R')
(R U' R') U2 (R U R')

y' U2 (R' U' R) U' (R' U R)
F' L' U2 L F
Note - The second algorithm is fewer moves, but less intuitive and less finger-friendly.



Incorrectly Connected Pieces



$y' (R' U R) U2' y (R U R')$
 $(R U R') U2 (R U' R' U) (R U' R')$

$(R U' R' U2) y' (R' U' R)$
 $U F (R U R' U') F' (U R U' R')$



$(R U2 R') U' (R U R')$

$y' (R' U2 R) U (R' U' R)$



$U (R U' R' U') (R U' R' U) (R U' R')$
 $(R U R' U2') (R U R' U') (R U R')$

$y' U' (R' U R U) (R' U R U') (R' U R)$
 $F (U R U' R') F' (R U' R')$



Corner in Place, Edge in U Face



$U' F' (R U R' U') R' F R$
 $R' F' R U (R U' R') F$

$U (R U' R') U' (F' U F)$
 $U (R U' R') (F R' F' R)$



$(R U' R' U) (R U' R')$

$y' (R' U R U') (R' U R)$



$y' (R' U' R U) (R' U' R)$
 $(R' F R F') U (R U' R')$

$(R U R' U') (R U R')$



Edge in Place, Corner in U face



$(R U' R' U) y' (R' U R)$
 $U' (R' F R F') (R U' R')$

$(U R U' R') (U R U' R') (U R U' R')$



$(U' R U' R') U2 (R U' R')$

$U (R U R') U2 (R U R')$



$(U' R U R') U y' (R' U' R)$

$U (F' U' F) U' (R U R')$



Edge and Corner in Place



Solved Pair

$(R U' R') d (R' U2 R) U2' (R' U R)$



$(R U' R' U') R U R' U2 (R U' R')$
 $(R U R' U') R U2 R' U' (R U R')$

$(R U' R' U) (R U2' R') U (R U' R')$
 $(R U R') U2' (R U' R' U) (R U R')$



$(F' U F) U2 (R U R' U) (R U' R')$
 $(R U' R') F (R U R' U') F' (R U' R')$

$(R U R' U') (R U' R') U2 y' (R' U' R)$



Notation

